

Sr. No.	Industry	Parameter	Standards
1	2	3	4
¹ 25.	THERMAL POWER PLANTS	*Particulate Matter Emissions :	
		- generation capacity 210 MW or more	150 milligramme per normal cubic metre.
		- generation capacity less than 210 MW	350 milligramme per normal cubic metre.
26.	NATURAL RUBBER INDUSTRY		Concentrations in the effluents not to exceed milligramme per litre (except for pH) 44°C
	- Discharge into inland surface water	Colour & odour	Absent
		pH	6.0 – 9.0
		BOD	50
		COD	250
		Oil and Grease	10
		Sulphides	2
		Total Kjeldahl Nitrogen	100
		Dissolved phosphate (as P)	5
		Suspended Solids	100
		Dissolved solids (inorganic)	2100
		Ammonical Nitrogen as N	50
		Free ammonia (as NH ₃)	5
	-Disposal on land for irrigation	Colour and Odour	Absent
		pH	6.0 – 8.0
		BOD	100
		COD	250
		Oil & Grease	10
		Suspended Solids	200
		Dissolved solids	2100

¹ S. No. 25 and 26 and entries relating thereto inserted vide S.O. 8(E) dt. 3.1.89 published in the Gazette No. 7 dated. 3.1.89.
Corrections in rule 2 against S.No. 26 made vide corrigendum No. S.O. 190 (E) dt. 15.3.89 published in the Gazette no. 126 dt. 15.3.89.

* Depending upon the requirement of local situation, such as protected area, the State Pollution Control Board and other implementation agencies under the Environment (Protection) Act, 1986 may prescribed a limit of 150 milligramme per normal cubic meter, irrespective of generation capacity of the plant.