

Speed Post/E-mail

A-19014/42/ASG/AQM/2020-21

5174-77

January 27, 2021

To

As per list

Subject: Status of installation of anti-smog guns in construction projects of build-up area >20,000 Sq. meters in Delhi-NCR

Sir,

Your kind attention is invited to our letter dated October 14, 2020, and an e-mail dated 28.09.2020 on the above mentioned subject. I am directed to request you to provide (i) details of construction projects which require to install anti-smog guns, and (ii) detail of construction projects that have installed anti-smog guns in Delhi-NCR in the enclosed format on 'pkgupta.cpcb@nic.in' and 'sharan_chem@rediffmail.com' by January 28, 2021.

Further, it is also requested to ensure that projects mandated to use anti-smog guns do not carry out construction activities without operation of anti-smog guns.

Kindly treat the matter on priority.

Yours faithfully



(P.K. Gupta)

Divisional Head, AQM

Encl: As per above

Copy to:

PS to MS, CPCB

: For kind information of MS, please.

✓ DH, IT

: With request to upload on the CPCB website

Format for information regarding installation of Anti-smog guns

S.No.	Name of Project	Address	Total Build-up area	Status of anti-smog gun (whether installed or not) (Yes/No)	Number of anti-smog gun(s)
1.					
2.					
3.					
Total	-	-		-	

To :

1. **The Member Secretary**
Delhi Pollution Control Committee
5th and 6th Floor, ISBT Building
Kashmere Gate, Delhi – 110 006

2. **The Member Secretary**
U.P. Pollution Control Board
3rd Floor, PICUP Bhawan, Vibhuti Khand, Gomti Nagat
Lucknow – 226 020

3. **The Member Secretary**
Haryana State Pollution Control Board
C-11, Sector - 6, Panchkula
Haryana 134109

4. **The Member Secretary**
Rajasthan State Pollution Control Board
A-4, Jalane Dungri Institutional Area
Jaipur – 302 004