



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	195	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	65	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	108	PM <sub>10</sub>	8
4	Ajmer	Moderate	126	O <sub>3</sub>	1
5	Alwar	Satisfactory	77	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	61	CO	1
7	Ambala	Good	48	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	61	PM <sub>2.5</sub>	1
9	Anantapur	Good	44	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	118	CO	1
11	Araria	Moderate	102	PM <sub>10</sub>	1
12	Ariyalur	Good	47	NO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	92	PM <sub>10</sub>	1
14	Asansol	Satisfactory	82	PM <sub>10</sub>	1
15	Aurangabad (Bihar)	Satisfactory	71	SO <sub>2</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	73	PM <sub>10</sub>	1
17	Baddi	Moderate	122	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Bahadurgarh	Satisfactory	76	PM <sub>10</sub>	1
20	Ballabgarh	Satisfactory	61	PM <sub>10</sub>	1
21	Banswara	Moderate	101	PM <sub>10</sub>	1
22	Bareilly	Satisfactory	96	PM <sub>10</sub>	2
23	Baripada	Satisfactory	66	O <sub>3</sub>	1
24	Barmer	Moderate	169	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpur,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	85	PM <sub>10</sub>	1
26	Belgaum	Good	49	CO	1
27	Bengaluru	Satisfactory	73	PM <sub>10</sub>	12
28	Bettiah	Poor	202	PM <sub>10</sub>	1
29	Bhagalpur	Moderate	106	PM <sub>10</sub>	2
30	Bharatpur	Moderate	167	PM <sub>10</sub>	1
31	Bhilai	Good	32	PM <sub>10</sub>	3
32	Bhiwadi	Moderate	163	PM <sub>10</sub>	1
33	Bhiwani	Satisfactory	81	PM <sub>10</sub>	1
34	Bhopal	Moderate	108	CO	3
35	Bidar	Good	41	PM <sub>10</sub>	1
36	Bihar Sharif	Moderate	102	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpur,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	103	PM <sub>10</sub>	1
38	Bulandshahr	Satisfactory	98	PM <sub>10</sub>	1
39	Byrnihat	Poor	256	PM <sub>10</sub>	1
40	Chamarajanagar	Good	44	PM <sub>10</sub>	1
41	Chandigarh	Satisfactory	100	O <sub>3</sub> , PM <sub>10</sub>	3
42	Chandrapur	Satisfactory	94	PM <sub>10</sub>	1
43	Charkhi Dadri	Moderate	111	PM <sub>2.5</sub>	1
44	Chennai	Satisfactory	60	CO, O <sub>3</sub>	6
45	Chhapra	Moderate	155	PM <sub>10</sub>	1
46	Chikkaballapur	Satisfactory	62	PM <sub>10</sub>	1
47	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
48	Chittorgarh	Moderate	121	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Churu	Moderate	142	PM <sub>10</sub>	1
50	Coimbatore	Satisfactory	61	CO	1
51	Damoh	Good	25	PM <sub>10</sub>	1
52	Dausa	Poor	227	PM <sub>10</sub>	1
53	Davanagere	Satisfactory	53	PM <sub>10</sub>	1
54	Dehradun	Moderate	123	CO	1
55	Delhi	Moderate	118	PM <sub>10</sub> , NO <sub>2</sub>	39
56	Dewas	Moderate	124	PM <sub>10</sub>	1
57	Dhanbad	Moderate	156	PM <sub>2.5</sub>	1
58	Dharuhera	Moderate	171	PM <sub>10</sub>	1
59	Dharwad	Good	48	PM <sub>10</sub>	1
60	Dholpur	Satisfactory	97	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dindigul	Good	45	SO <sub>2</sub>	1
62	Durgapur	Satisfactory	100	PM <sub>10</sub>	1
63	Faridabad	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	4
64	Fatehabad	Moderate	153	PM <sub>10</sub>	1
65	Firozabad	Moderate	102	PM <sub>10</sub>	1
66	Gadag	Good	27	CO	1
67	Gandhinagar	Satisfactory	100	PM <sub>2.5</sub> , PM <sub>10</sub>	3
68	Gangtok	Satisfactory	52	O <sub>3</sub>	1
69	Gaya	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	3
70	Ghaziabad	Moderate	149	PM <sub>10</sub>	4
71	Gorakhpur	Satisfactory	69	PM <sub>2.5</sub>	1
72	Greater Noida	Poor	202	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Moderate	112	PM <sub>10</sub>	1
74	Gurugram	Poor	213	PM <sub>2.5</sub>	3
75	Guwahati	Satisfactory	72	O <sub>3</sub> , PM <sub>2.5</sub>	3
76	Gwalior	Moderate	140	PM <sub>10</sub>	3
77	Hajipur	Moderate	122	PM <sub>10</sub>	1
78	Haldia	Satisfactory	69	PM <sub>10</sub>	1
79	Hanumangarh	Moderate	119	PM <sub>10</sub>	1
80	Hapur	Satisfactory	84	O <sub>3</sub>	1
81	Hassan	Satisfactory	66	PM <sub>10</sub>	1
82	Haveri	Satisfactory	51	PM <sub>10</sub>	1
83	Howrah	Satisfactory	72	PM <sub>10</sub>	3
84	Hubballi	Satisfactory	73	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	86	PM <sub>10</sub>	12
86	Imphal	Satisfactory	90	SO <sub>2</sub>	2
87	Indore	Satisfactory	58	NO <sub>2</sub>	2
88	Jabalpur	Satisfactory	78	O <sub>3</sub>	1
89	Jaipur	Moderate	134	O <sub>3</sub> , PM <sub>10</sub>	5
90	Jalandhar	Satisfactory	94	PM <sub>10</sub>	1
91	Jhalawar	Moderate	121	PM <sub>10</sub>	1
92	Jhansi	Moderate	105	PM <sub>10</sub>	1
93	Jhunjhunu	Very Poor	301	O <sub>3</sub>	1
94	Jodhpur	Moderate	141	O <sub>3</sub>	3
95	Jorapokhar	Moderate	101	PM <sub>10</sub>	1
96	Kaithal	Moderate	120	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalaburgi	Satisfactory	56	PM <sub>10</sub>	2
98	Kalyan	Satisfactory	55	NO <sub>2</sub>	1
99	Kanchipuram	Satisfactory	66	PM <sub>10</sub>	1
100	Kanpur	Moderate	114	PM <sub>10</sub>	4
101	Karauli	Good	49	PM <sub>2.5</sub>	1
102	Karnal	Satisfactory	60	PM <sub>10</sub>	1
103	Katihar	Satisfactory	93	PM <sub>10</sub>	1
104	Katni	Moderate	108	PM <sub>10</sub>	1
105	Khanna	Satisfactory	96	PM <sub>10</sub>	1
106	Khurja	Satisfactory	61	SO <sub>2</sub>	1
107	Kishanganj	Satisfactory	78	PM <sub>10</sub>	1
108	Kochi	Satisfactory	64	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Satisfactory	76	PM <sub>10</sub>	1
110	Kolkata	Satisfactory	78	PM <sub>2.5</sub> , PM <sub>10</sub>	7
111	Koppal	Satisfactory	51	O <sub>3</sub>	1
112	Korba	Satisfactory	54	CO, NO <sub>2</sub>	2
113	Kota	Moderate	141	PM <sub>2.5</sub>	3
114	Kurukshetra	Satisfactory	95	PM <sub>10</sub>	1
115	Lucknow	Moderate	132	PM <sub>2.5</sub>	6
116	Ludhiana	Satisfactory	87	PM <sub>10</sub>	1
117	Madikeri	Good	32	PM <sub>10</sub>	1
118	Maihar	Satisfactory	52	CO	1
119	Mandi Gobindgarh	Moderate	113	PM <sub>2.5</sub>	1
120	Mandideep	Satisfactory	76	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpur,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	75	PM <sub>10</sub>	1
122	Manesar	Moderate	125	PM <sub>2.5</sub>	1
123	Mangalore	Satisfactory	59	PM <sub>10</sub>	1
124	Manguraha	Moderate	185	PM <sub>2.5</sub>	1
125	Meerut	Moderate	130	PM <sub>10</sub>	2
126	Moradabad	Moderate	119	PM <sub>10</sub>	6
127	Motihari	Satisfactory	99	NO <sub>2</sub>	1
128	Mumbai	Satisfactory	86	PM <sub>10</sub>	16
129	Munger	Moderate	174	PM <sub>10</sub>	1
130	Muzaffarnagar	Moderate	137	PM <sub>10</sub>	1
131	Muzaffarpur	Moderate	191	O <sub>3</sub> , PM <sub>2.5</sub>	3
132	Mysuru	Good	48	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Satisfactory	96	PM <sub>10</sub>	1
134	Nagpur	Satisfactory	61	PM <sub>2.5</sub>	1
135	Nalbari	Satisfactory	53	O <sub>3</sub>	1
136	Nashik	Good	41	PM <sub>10</sub>	1
137	Navi Mumbai	Satisfactory	92	PM <sub>10</sub>	2
138	Nayagarh	Satisfactory	77	PM <sub>2.5</sub>	1
139	Noida	Moderate	147	NO <sub>2</sub> , PM <sub>10</sub>	4
140	Pali	Satisfactory	91	O <sub>3</sub>	1
141	Palwal	Satisfactory	88	PM <sub>10</sub>	1
142	Panchkula	Satisfactory	64	PM <sub>2.5</sub>	1
143	Patiala	Satisfactory	78	O <sub>3</sub>	1
144	Patna	Moderate	126	PM <sub>2.5</sub> , NO <sub>2</sub>	6

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pithampur	Moderate	105	PM <sub>10</sub>	1
146	Pratapgarh	Satisfactory	91	PM <sub>10</sub>	1
147	Prayagraj	Moderate	113	O <sub>3</sub> , PM <sub>10</sub>	3
148	Puducherry	Good	37	PM <sub>10</sub>	1
149	Pune	Satisfactory	68	CO	2
150	Purnia	Moderate	200	PM <sub>2.5</sub>	1
151	Raipur	Good	46	PM <sub>10</sub> , NO <sub>2</sub>	4
152	Rairangpur	Satisfactory	67	PM <sub>10</sub>	1
153	Rajamahendravaram	Good	39	PM <sub>10</sub>	1
154	Rajsamand	Satisfactory	74	O <sub>3</sub>	1
155	Ramanagara	Satisfactory	61	O <sub>3</sub>	1
156	Ramanathapuram	Good	40	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ratlam	Satisfactory	95	PM <sub>10</sub>	1
158	Rishikesh	Good	42	PM <sub>10</sub>	1
159	Rohtak	Satisfactory	86	CO	1
160	Rourkela	Satisfactory	93	PM <sub>10</sub>	3
161	Rupnagar	Moderate	115	PM <sub>10</sub>	1
162	Sagar	Satisfactory	90	O <sub>3</sub>	1
163	Saharsa	Moderate	121	PM <sub>10</sub>	1
164	Samastipur	Moderate	128	PM <sub>10</sub>	1
165	Sasaram	Very Poor	302	O <sub>3</sub>	1
166	Satna	Satisfactory	59	PM <sub>10</sub>	1
167	Sawai Madhopur	Moderate	124	PM <sub>10</sub>	1
168	Shillong	Satisfactory	61	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shivamogga	Satisfactory	72	O <sub>3</sub>	1
170	Sikar	Moderate	132	PM <sub>10</sub>	1
171	Silchar	Satisfactory	52	CO	1
172	Siliguri	Satisfactory	58	O <sub>3</sub>	1
173	Singrauli	Moderate	107	CO	1
174	Sirsa	Satisfactory	98	PM <sub>10</sub>	1
175	Sivasagar	Good	29	PM <sub>2.5</sub>	1
176	Siwan	Moderate	133	PM <sub>10</sub>	1
177	Solapur	Moderate	105	PM <sub>10</sub>	1
178	Sri Ganganagar	Moderate	132	PM <sub>10</sub>	1
179	Suakati	Satisfactory	56	PM <sub>10</sub>	1
180	Talcher	Satisfactory	67	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thane	Moderate	101	O <sub>3</sub>	1
182	Thiruvananthapuram	Good	50	PM <sub>10</sub>	2
183	Thoothukudi	Satisfactory	91	O <sub>3</sub>	1
184	Thrissur	Satisfactory	91	PM <sub>10</sub>	1
185	Tirupati	Satisfactory	71	PM <sub>2.5</sub>	2
186	Tirupur	Good	45	PM <sub>10</sub>	1
187	Tonk	Moderate	174	PM <sub>10</sub>	1
188	Tumidih	Satisfactory	56	PM <sub>10</sub>	1
189	Udaipur	Satisfactory	73	PM <sub>10</sub>	1
190	Ujjain	Moderate	110	PM <sub>10</sub>	1
191	Varanasi	Satisfactory	56	SO <sub>2</sub> , PM <sub>2.5</sub>	4
192	Vatva	Moderate	117	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Apr 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayapura	Good	46	PM <sub>10</sub>	1
194	Visakhapatnam	Satisfactory	92	PM <sub>10</sub>	1
195	Vrindavan	Moderate	143	PM <sub>10</sub>	1
196	Yadgir	Satisfactory	65	PM <sub>10</sub>	1
197	Yamunanagar	Moderate	119	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Aizawl, Baghpat,

Begusarai, Bikaner, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chittoor, Cuddalore, Darbhanga, Eloor, Ernakulam, Hisar, Hosur, Jind, Kadapa, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Kozhikode, Kunjemura, Milupara, Naharlagun, Nandesari, Narnaul, Ooty, Palkalaiperur, Panipat, Raichur, Rajgir, Salem, Sirohi, Sonipat, Srinagar, Surat, Tensa, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.