



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

Speed Post

CPCB-B 33014/311/2018/IPC-II/ 10120

Aug 27, 2018.

To

M/s Bilasraika Sponge Iron India Pvt. Ltd.,
Vill - Gundlapotlapally, Mandal - Balanagar,
Dist - Mahaboobnagar
Telangana- 509202.

Sub: Application by M/s Bilasraika Sponge Iron India Pvt. Ltd., for withdrawal of Closure Order/Directions dated 23.07.2018 issued by CPCB Delhi.

Ref:

1. CPCB letter No. CPCB-B 33014/311/2018/IPC-II/7971, dated 23.07.2018.
2. CPCB letter No. CPCB-B 33014/311/2018/IPC-II/9814, dated 13.08.2018.
3. Your email and attached letter dated 21.08.2018.

Sir,

This has reference to your communication and e-mail date 21.08.2018 to this office. In this regard aforesaid CPCB letter dated 13.08.2018 to your unit may kindly be seen, wherein, it is already clarified that "the unit shall be permitted to operate only after rectification of observed shortcomings, improvement in emission and fugitive emission control system and submission of adequacy assessment report from expert Govt. Agency." You are therefore requested to fully comply with the directions and submit the adequacy assessment report to this office for consideration of your request for revocation of closure directions.

Yours Faithfully,


[Nazimuddin]

Div. Head, IPC-II

Copy to:

1. **The Member Secretary,**
Telangana State Pollution Control Board
Paryavarana Bhavan,
A-III, Industrial Estate,
Sanathnagar, Hyderabad-500018 : For information please.
2. **The Regional Director (South)**
Central Pollution Control Board
1st & 2nd Floors, Nisarga Bhavan,
A-Block, Thimmaiah Main Road,
7th D Cross, Shivanagar,
(Opp. Puspanjali Theatre)
Bengaluru-560010 (Karnataka) : For information please.
3. **Divisional Head, IT Division, CPCB, Delhi.** : For information please.